


3D model 	Location characteristics Depth (m) Water temperature (°c) Easting (m) Northing (m) Notes - All dimensions in millimeter - Photogrammetry tolerance +/- 0.5 mm Comments
--	---

Metrology	Vessel	Survey date	Rev Date	Description	IVM	Page
Document number		22/07/2025	0 05/08/2025	First issuance	GDI	1 / 5

Height between the bellmouth and the seabed

Comments

The height of the bellmouth from the seabed is 2992.8mm




Metrology	Vessel	Survey date	Rev	Date	Description	IVM	Page
Document number		22/07/2025	0	05/08/2025	First issuance	GDI	2 / 5

Angle between the bellmouth and the cable

Comments

The angle between the bellmouth and the cable is 12.9°.



Metrology

Vessel

Survey date

Rev Date

Description

IVM

Page

Document number

Vessel

22/07/2025


0 05/08/2025

First issuance

GDI

3 / 5

Placement of the cable inside the bellmouth



Comments

Placement of the cable inside the bellmouth.
Max.: 663.9mm
Min.: 549.8mm

Metrology

Vessel

Survey date

Rev Date

Description

IVM

Page

Document number

0 05/08/2025


First issuance

GDI

4 / 5

22/07/2025

Comparison between July 2024 and July 2025



Comments

As of July 2025, the rock blocks cover the CPS 4.087m after the bellmouth, and over a length of 10.795m compared to the previous inspection in July 2024.

Metrology

Vessel

Survey date

Rev Date

Description

IVM

Page

Document number

0 05/08/2025

First issuance

GDI

22/07/2025

5 / 5